

Page 1/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.02.2020 Version number 9 Revision: 16.10.2018 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: NICRO® 901 K-3 S CLEANER 400 ML (Aerosol) • Article number: 302282 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Sector of Use SU21 Consumer uses: Private households / general public / consumers SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) • Product category PC35 Washing and cleaning products (including solvent based products) · Process category **PROC7** Industrial spraying **PROC11** Non industrial spraying · Application of the substance / the mixture Preparation \cdot 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: MOTIP DUPLI GmbH Nicro Industries Kurt Vogelsang Strasse 6 D-74855 Haßmersheim Tel.: +49/62666/75-0 sicherheitsdatenblatt@dupli-color.de info@nicro.ch · Further information obtainable from: Department Product Safety · 1.4 Emergency telephone number: Tel.: +49 6266-75-310 Fax.: +49 6266-75-362 (Mo-Do 08:00 - 16:00 Uhr, Fr 08:00 - 12:30 Uhr) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS02 flame Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. GHS07 Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. (Contd. on page 2) GB Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2020

Version number 9

Revision: 16.10.2018

(Contd. of page 1)

Trade name: NICRO® 901 K-3 S CLEANER 400 ML (Aerosol)

· Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:
- propan-2-ol
- Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics
- · Hazard statements
- H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P260 Do not breathe spray.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- P501 Dispose of contents / container in accordance with regional regulations.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

- · Description: Mixture of substances listed below with nonhazardous additions.
- Dangarous components

• Dangerous components:		
CAS: 109-87-5	dimethoxymethane	25-<50%
EINECS: 203-714-2	🚸 Flam. Liq. 2, H225	-
Reg.nr.: 01-2119664781-31	* -	
CAS: 67-63-0	propan-2-ol	25-<50%
EINECS: 200-661-7	🚸 Flam. Liq. 2, H225	-
	() Eye Irrit. 2, H319; STOT SE 3, H336	
Reg.nr.: 01-2119457558-25		
EC number: 927-241-2	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2%	12.5-<20%
Reg.nr.: 01-2119471843-32	aromatics	
	🐵 Flam. Liq. 3, H226	_
	🗞 Asp. Tox. 1, H304	
	◆ STOT SE 3, H336	
	Aquatic Chronic 3, H412	
CAS: 124-38-9	carbon dioxide	5-<10%
EINECS: 204-696-9	🔗 Press. Gas (Liq.), H280	_
• Additional information: For	the wording of the listed hazard phrases refer to section 16.	,

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2020

Version number 9

Revision: 16.10.2018

(Contd. of page 2)

Trade name: NICRO® 901 K-3 S CLEANER 400 ML (Aerosol)

- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters -
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about fire and explosion protection:
- Do not spray onto a naked flame or any incandescent material.
- Keep ignition sources away Do not smoke.
- Keep respiratory protective device available.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: 2 B
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

GB

Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2020

Version number 9

Revision: 16.10.2018

Trade name: NICRO® 901 K-3 S CLEANER 400 ML (Aerosol)

	ontrol parameters
Ingre	dients with limit values that require monitoring at the workplace:
-	7-5 dimethoxymethane
	Short-term value: 3950 mg/m ³ , 1250 ppm
WEL	Long-term value: 3160 mg/m^3 , 1000 ppm
67 62	2-0 propan-2-ol
WEL	Short-term value: 1250 mg/m ³ , 500 ppm
	Long-term value: 999 mg/m³, 400 ppm
124-3	8-9 carbon dioxide
WEL	Short-term value: 27400 mg/m³, 15000 ppm
	Long-term value: 9150 mg/m³, 5000 ppm
Addit	ional information: The lists valid during the making were used as basis.
	xposure controls
	nal protective equipment:
	ral protective equipment. ral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	diately remove all soiled and contaminated clothing
	hands before breaks and at the end of work.
	ot inhale gases / fumes / aerosols.
	contact with the eyes and skin.
	contact with the eyes.
Respi	ratory protection:
In cas	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposu
	elf-contained respiratory protective device.
	ction of hands:
	o missing tests no recommendation to the glove material can be given for the product/ the preparation
	nemical mixture.
	love material has to be impermeable and resistant to the product/ the substance/ the preparation.
	tion of the glove material on consideration of the penetration times, rates of diffusion and the
	dation
	rial of gloves election of the suitable gloves does not only depend on the material, but also on further marks of quali
	aries from manufacturer to manufacturer. As the product is a preparation of several substances, the
	ance of the glove material can not be calculated in advance and has therefore to be checked prior to the
	cation.
	ration time of glove material
	rubber gloves with a thickness of 0.4 mm are resistant to:
	one: 480 min
Buty	l acetate: 60 min
Ethy	l acetate: 170 min
	ne: 42 min
The e	xact break through time has to be found out by the manufacturer of the protective gloves and has to be
	ved.
obser	rotection:

GB (Contd. on page 5)

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2020

Version number 9

Revision: 16.10.2018

Trade name: NICRO® 901 K-3 S CLEANER 400 ML (Aerosol)

(Contd. of page 4)

9.1 Information on basic physical and c	hemical properties
General Information	nomen properties
Appearance:	
Form:	Aerosol
Colour:	Clear
Odour:	Ether-like
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	e: Not applicable, as aerosol.
Flash point:	-18 °C (-0.4 °F)
-	Not applicable, as aerosol.
Flammability (solid, gas):	Not applicable.
Ignition temperature:	235 °C (455 °F)
Decomposition temperature:	Not determined.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	0.6 Vol %
Upper:	19.9 Vol %
Vapour pressure at 20 °C (68 °F):	5500 hPa (4125.3 mm Hg)
Density at 20 •C (68 •F):	0.8 g/cm ³ (6.7 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	93.5 %
VOC (EC)	
	763.9 g/l
VOC-EU%	93.50 %
Solids content:	0.0 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2020

Version number 9

Revision: 16.10.2018

Trade name: NICRO® 901 K-3 S CLEANER 400 ML (Aerosol)

(Contd. of page 5)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

67-63-0 propan-2-ol

Oral	LD50	5840 mg/kg (rat)
Dermal	LD50	13900 mg/kg (rabbit)
Inhalative	LC50	>25 mg/l (rat) LC 50: 6h
		LC 50: 6h

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- \cdot Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- · STOT-single exposure
- May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

67-63-0 propan-2-ol

LC50/96h 9640 mg/l (pimephales promelas; 96h)

LC50 / 24 h 9714 mg/l (daphnia magna)

· 12.2 Persistence and degradability No further relevant information available.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

*

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Page 7/9

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2020

Version number 9

Revision: 16.10.2018

(Contd. of page 6)

Trade name: NICRO® 901 K-3 S CLEANER 400 ML (Aerosol)

· Uncleaned packaging:

· Recommendation:

Disposal must be made according to official regulations.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

SECTION 14: Transport information · 14.1 UN-Number UN1950 · ADR, IMDG, IATA · 14.2 UN proper shipping name 1950 AEROSOLS · ADR · IMDG AEROSOLS $\cdot IATA$ AEROSOLS, flammable · 14.3 Transport hazard class(es) · ADR 2 5F Gases. · Class · Label 2.1 · IMDG, IATA · Class 2.1 · Label 2.1 · 14.4 Packing group · ADR, IMDG, IATA not regulated · 14.5 Environmental hazards: Not applicable. · 14.6 Special precautions for user Warning: Gases. · Hazard identification number (Kemler code): · EMS Number: F-D.S-USW1 Protected from sources of heat. · Stowage Code SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. · Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. (Contd. on page 8)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2020

Version number 9

Revision: 16.10.2018

Trade name: NICRO® 901 K-3 S CLEANER 400 ML (Aerosol)

	(Contd. of page 7
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
	Code: E0
	Not permitted as Excepted Quantity
· Transport category	2
· Tunnel restriction code	D
· IMDG	
Limited quantities (LQ)	1L
\cdot Excepted quantities ($\widetilde{E}Q$)	Code: E0
	Not permitted as Excepted Quantity
	Code: E0
	Not permitted as Excepted Quantity
· UN ''Model Regulation'':	UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

- · Seveso category P3b FLAMMABLE AEROSOLS
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations:

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

- H304 May be fatal if swallowed and enters airways.
- H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

- H412 Harmful to aquatic life with long lasting effects.
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 9)

Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2020

Version number 9

Revision: 16.10.2018

Trade name: NICRO® 901 K-3 S CLEANER 400 ML (Aerosol)

(Contd. of page 8) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Aerosol 1: Aerosols – Category 1 Press. Gas (Liq.): Gases under pressure – Liquefied gas Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 • * Data compared to the previous version altered.

GB